



Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.2784$ $y=0.1224$ $u'=0.2847$ $v'=0.2816$

$T_c=100000K$ Dominant WL:Ld =380.0nm Purity=59.7%

Red Ratio:R=43.6% Peak WL:Lp=662.8nm HWL:Lhd=19.8nm

Render Index:Ra=15.7

R1 =0 R2 =0 R3 =78 R4 =0 R5 =0 R6 =0 R7 =48

R8 =0 R9 =0 R10=0 R11=0 R12=0 R13=0 R14=71 R15=0

Photo Parameters:

Flux = 3689 lm Eff. : 17.82 lm/W Fe = 45.27 W

Electrical parameters:

V = 220.9 V I = 0.9605 A P = 207.0 W PF = 0.9756

LEVEL:OUT WHITE:OUT



Status: Integral T = 25 ms Ip = 57685 (88%)

Test Type: Fast Test; Delicacy = Low; Tecool: ON

Model:OH-GL-003
 Tester:YL Liao
 Temperature:24Deg
 Manufactory:OHMAX

Number:
 Date:2014-03-21
 Humidity:60%
 Remarks:220V

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.2770$ $y=0.1220$ / $u'=0.2833$ $v'=0.2809$

$T_c=100000K$ Dominant WL:Ld =380.0nm Purity=59.9%

Red Ratio:R=43.1% Peak WL:Lp=663.6nm HWL:Lhd=20.0nm

Render Index:Ra=16.1

R1 =0 R2 =0 R3 =80 R4 =0 R5 =0 R6 =0 R7 =49

R8 =0 R9 =0 R10=0 R11=0 R12=0 R13=0 R14=73 R15=0

Photo Parameters:

Flux = 3405 lm Eff. : 16.67 lm/W Fe = 41.89 W

Electrical parameters:

V = 110.2 V I = 1.868 A P = 204.3 W PF = 0.9929

LEVEL:OUT WHITE:OUT

Status: Integral T = 25 ms Ip = 52993 (81%)

Test Type: Fast Test; Delicacy = Low; Tecool: ON

Model:OH-GL-003
 Tester:YL Liao
 Temperature:24Deg
 Manufactory:OHMAX

Number:
 Date:2014-03-21
 Humidity:60%
 Remarks:110V